

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|--|---|------------------|---------|---------------------|
| L1 | 2728 | 560/104.ccls. 562/494-495.ccls. 148/404,432.ccls. 420/469,497,500.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/02/18 17:26 |
| L2 | 44 | 1 and anode and cathode | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/02/18 17:26 |
| L3 | 43 | 2 and (cu! or copper) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/02/18 17:26 |
| S1 | 856482 | nippon.as. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/14 15:13 |
| S2 | 2 | S1 and ((rrr or (residual near3 resistivity near3 ratio)) near5 (cu! or copper)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/14 15:14 |
| S3 | 3 | S1 and ((rrr or (residual near3 resistivity near3 ratio)) same (cu! or copper)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/14 15:15 |
| S4 | 218 | ((rrr or (residual near3 resistivity near3 ratio)) same (cu! or copper)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/14 15:16 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S5 | 15 | S4 and anode and cathode | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/14 15:16 |
| S6 | 2 | S4 and 8N | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/14 15:20 |
| S7 | 166 | (copper or cu!) same (8N or "99.999999"\$%) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/14 15:21 |
| S8 | 32 | (ultra\$1high near3 purity near3 (cu or copper)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/14 15:47 |
| S9 | 2 | S8 and ((rrr or (residual near3 resistivity near3 ratio)) near5 (cu! or copper)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/14 15:47 |
| S11 | 28 | S8 not S7 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/14 15:48 |
| S12 | 28 | S11 not S5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/14 15:48 |
| S13 | 34 | (copper or cu!) near7 (8N or "99.999999"\$%) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/21 14:50 |

| | | | | | | |
|-----|----|---|---|----|----|---------------------|
| S14 | 35 | (copper or cu!) near7 (ultra\$3high near3 purity) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/21 14:55 |
| S15 | 2 | S14 and anode and cathode and carbon | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/21 14:58 |
| S16 | 5 | S14 and anode and cathode | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/21 14:59 |
| S17 | 58 | ((rrr or (residual near3 resistivity near3 ratio)) near5 (cu! or copper)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/21 16:27 |
| S18 | 30 | anode and cathode and membrane and ((high \$1purity or (high adj purity)) near3 (cu! or copper)) and (graphite or (active near3 carbon) or carbon) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/21 16:53 |
| S19 | 5 | anode and cathode and membrane and ((high \$1purity or (high adj purity)) near3 (cu! or copper)) and ((graphite or (active near3 carbon) or carbon) same filter\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/21 16:56 |
| S20 | 62 | ((active near3 carbon) near3 (mixing or agitator \$4) near3 filter\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/21 17:08 |
| S21 | 5 | S20 and (cu! or copper) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/21 17:08 |

2/ 18/ 2010 5:34:41 PM

C:\Documents and Settings\sthai\Desktop\patent cases\10 597 449\10 597 449.wsp